




Embroidery Machine 多功能电脑绣花机



+86-0755-88880169



www.szruanyi.com




广东省深圳市龙华区观湖街道鹭湖社区澜清二路6号三一云都2栋702
2# 702, Sanyi Yundu, No.6 Lanqing 2nd Rd, Guanhu, Longhua, Shenzhen, China



nak010@szruanyi.com

深圳软艺电子科技有限公司

Shenzhen Nanoart Electronic Technology Co., Ltd



01/04 关于我们
About Us

05/12 家用型 MT/TCQ 系列
Home Based MT/TCQ Series

13/22 DT 精品系列绣花机
DT Elite Series Embroidery Machine

23/40 TCL 系列绣花机
TCL Series Embroidery Machine


41/48 HT 系列绣花机
HT Series Embroidery Machine

49/54 特种系列绣花机
Speical Function Embroidery Machine

55/60 TH 系列工业帽绣机
TH Series Industrial Tubular Embroidery Machine

61/62 附件
Accessories

目录 CONTENTS



关于我们

浙江玛雅机电科技有限公司 成立于 2005 年，是中国绣花机领域的领先高科技集团企业。自创立以来，公司深耕绣花机研发、生产及售后服务全链条，凭借对技术创新的持续投入，在创新机型与应用研发领域始终保持行业引领地位。截至目前，公司累计持有**400 项专利**（含 **100 项发明专利**）及 1 项软件著作权，技术成果全面覆盖绣花机核心结构、智能控制与工艺优化等关键领域。

在产能与全球服务布局上，集团现拥有 **10 大现代化生产基地**，总占地面积超 **30 万平方米**，配备自动化生产线与精密检测体系，年产能突破 **10000 台**；凭借完善的全球供应链与销售网络，产品服务已覆盖全球 70 余个国家和地区，为各地客户提供稳定高效的绣花设备支持。

TOPMAYA 作为玛雅集团旗下高端自有品牌，以“精湛工艺、卓越性能、可靠品质”为核心定位，专为全球高端市场量身打造。该系列绣花机兼具卓越品质、精准性能与前沿技术，可满足不同场景下的高品质刺绣需求：不仅覆盖家庭刺绣用户，更能适配时尚设计师、生产企业及艺术创作者等专业人群，可轻松应对各类刺绣需求，灵活匹配个性化创作与规模化生产场景。

我们始终将售后服务置于核心位置，依托全球化服务团队构建“售前咨询 - 售中调试 - 售后维保”全流程服务体系，为全球用户的设备稳定运行提供全程保障，彻底打消客户的使用顾虑。

欢迎联系我们，深入了解 TOPMAYA 品牌及产品详情，玛雅机电期待以专业的绣花解决方案，助力您的项目迈向新高度。



About Us

Zhejiang Maya Mechanical & Electrical Technology Co., Ltd, founded in 2005, is a leading high-tech group in China, Specializing in R&D, production, and after-sales services for embroidery machines. We lead in innovative models and applications, holding **400 patents** (including 100 invention patents) and **1 software copyright**. Our **10 manufacturing facilities span 300,000m²**, producing over **10,000** sets annually and serving **70+** countries.

NANOART, our premium brand under the Maya Group, represents sophistication, performance, and reliability, tailored for global high-end markets. **NANOART** machines deliver exceptional quality, precision, and cutting-edge technology.

Our machines cater to both home users and professionals—fashion designers, manufacturers, and artists—handling diverse materials with ease. We prioritize after-sales support, with a global service team ensuring seamless operation.

Visit our website to explore **NANOART** and elevate your projects to new heights



NANOART embroidery machines have become friends to customers worldwide, adding color to every life.

2025

2022-2024

为业务拓展，我司投资建设了**2万平米**的组装园区，并成立了新的机架工厂。这些举措不仅将提升我们的产能，还将巩固我们作为行业领导者的地位。

2020-2021

在全球贸易低迷期，我们积极开拓新市场，并额外投资扩建了 5000 平方米的厂房。这一战略举措在随后的经济复苏后，显著提升了我们的市场份额。

2019

我们以客户为中心，加大研发投入，成功研发出多款新型机型；这不仅使我们获得“**省级企业研究院**”资质，更成为绣花机行业的标杆企业。

2017-2018

伴随产销量大幅提升，我们新建了一座综合性的厂房以满足日益增长的需求。

2015-2016

我们新增了 **10,000 平方米** 的生产场地，大幅提升了制造能力并获得了 **CE 认证**。截至 2015 年底，我们的产品已覆盖全球 30 多个国家和地区。此外，我们还引入了精益生产车间，并建立了仓储物流配送中心。

2012-2014

我们全面改革管理与技术体系，同时扩大国内市场覆盖范围。我们还为高端绣花机及特种绣花机设立了专业车间，以满足不同品类的产品需求。

2009-2011

公司员工规模达到 200 人。随着我们被认定为“国家高新技术企业”，我们进一步巩固了在绣花机行业的技术领先地位。

2007-2008

我们迁至更大的新厂房，员工规模随之扩大至 100 人。此外，我们的销售额飙升至 **1000 万美元以上**，且管理体系成功通过 ISO9001 认证。

2006

公司进军国际市场，成功拿下首笔出口订单。当年年末，销售额突破 **300 万美元**，这标志着公司发展迎来重要里程碑。

2005

MAYA 公司正式成立，标志着我们在绣花机行业的征程就此开启。

2025

2022-2024

Committed to further expansion, we invested in a **20,000** square meter assembly plant and established a new frame factory. These initiatives will not only bolster our production capacity but also solidify our position as an industry leader.

2020-2021

Amidst the downturn of global trade, we vigorously explored new markets, investing in an additional **5,000** square meters of factory space. This strategic move significantly increased our market share after the economic recovery.

2019

Intensifying R&D efforts with a customer-centric approach, we developed new machine models, earning us the status of a **Provincial Enterprise Research Institute** and becoming a benchmark in the embroidery machine industry.

2017-2018

Experiencing a significant boost in production capacity, we constructed a new factory to meet growing demand.

2015-2016

Adding **10,000** square meters of new production space, we significantly enhanced our manufacturing capabilities and obtained **CE certification**. By the end of 2015, our products had reached over **30** countries and regions worldwide. We also introduced lean manufacturing workshops and established a warehousing and logistics distribution center.

2012-2014

Embarking on a comprehensive overhaul of our management and technical systems, we also expanded our domestic market reach. We established specialized workshops for premium and special embroidery machines, catering to diverse product categories.

2009-2011

The workforce reached **200**. As we were recognized as a National High-tech Enterprise, we solidified our position as a technological leader in the embroidery machine industry.

2007-2008

Relocating to a new and larger facility, our workforce expanded to 100 employees. Moreover, our sales soared to over **USD 10,000,000**, and we achieved **ISO9001** certification for our management system.

2006

The company ventured into the international market, securing its first export order. By the end of the year, our sales surpassed **USD 3,000,000**, marking a significant milestone.

2005

MAYA company was founded, marking the inception of our journey in the embroidery machine industry.

家用型MT/TCQ 系列 HOME BASED MT/TCQ Series



MT-1201



TCQ-1501



帽子
Cap



成衣
Clothing



长裙
Cheongsam



鞋子
Shoes



裤子
Pants



袜子
Socks



箱包
Bags




毛巾
Towel

无限可能
And More

NANOART
软艺

绣品展示 EMBROIDERY GALLERY






系列特色 FEATURES



10.1英寸真彩触控屏
10.1 Inch Full Color Touch Screen




急停开关
Emergency Stop



轻量化机身，便于家用移动
Light Machine Body, Easy To Move




过线顺滑的夹线器
Smooth Thread Guiding System



功能多样可应用于多种刺绣场景
Multi-function For Various Embroidery Applications



面线夹持锁线功能
Upper Thread Hold System



灵敏的断线检测
Sensitive Thread Break Detection



机器参数 PARAMETERS

MT-1201

头数	Head	单头 1 head
针数	Needle	12 或 15 针 12 or 15 needles
刺绣范围	Working area	400*300mm (15.7"* 11.8")
最大速度	Max speed	平绣 Flat:1000RPM, 帽绣 Cap:850RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
机器尺寸	Machine size	长(L)650 * 宽(W) 990 * 高(H)1480mm (25.6"*39"*58")
净重/ 毛重	Net / Gross weight	96KGS / 150KGS (212 lbs / 330 lbs)
包装	Packing	木箱 Wooden case (800*1130*820mm) (31.5"× 44.5" × 32.3")

机型特色 FEATURES



真彩10.1英寸触控屏界面友好易操作
Full Color 10.1 Inch Touch Screen
With Friendly Interface



多种功能,
支持帽绣, 成衣, 箱包, 袜绣, 平绣等
Multi Functions,
Work On Caps, T-Shirts, Bags,
Flat Fabric, Socks Etc.



轻便好移动操作简便
Easy To Move And Operate



为帽绣而生: 270度超广刺绣角度
3D刺绣效果出色
Born For Cap: With A 270°
Wide Working Angle, Presenting
Excellent 3d Embroidery.



激光定位灯
Laser Pointer For
Positioning



机头照明灯
便于穿线
LED Light,
More Clear To Thread.



灵敏的断线检测
Sensitive Thread
Break Detection

MT-1201

400×300mm



► 刺绣入门者的不二选择: 小巧灵动, 便于操作, 经济实惠 ◀

The Best Choice For Embroidery Beginners: Small Size, Easy To Operate And Economical

机器参数 PARAMETERS

TCQ -1501

头数	Head	单头 1 head
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	500*400mm (19.7*15.7")
最大速度	Max speed	平绣Flat :1000 RPM, 帽绣Cap :850 RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	100 million stitches or 800 designs
机器尺寸	Machine size	长(L)1230 * 宽(W)860 * 高(H)1550mm (48.4"* 33.8"* 61")
净重/ 毛重	Net / Gross weight	135KGS / 195KGS (297 lbs / 429 lbs)
包装	Packing	木箱 Wooden case (1130*900*860mm) (44.5"*35.4"*33.8")

机型特色 FEATURES



真彩10.1英寸触控屏界面友好易操作
Full Color 10.1 Inch Touch Screen
With Friendly Interface



多种功能, 支持帽绣
成衣, 箱包, 袜绣, 平绣等
Multi Functions,
Work On Caps, T-Shirts, Bags,
Flat Fabric, Socks Etc.



工业级效率
High Efficient As Industry Model



为帽绣而生: 270度超广刺绣角度
3D刺绣效果出色
Born For Cap: With A 270°
Wide Working Angle, Presenting
Excellent 3d Embroidery.



激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.




机头照明灯
便于穿线
LED Light,
More Clear To Thread.



灵敏的断线检测
Smooth And Adjustable
Thread-Passing System.

TCQ-1501

500×400mm (600×400mm 机型同步在售) Available



► 刺绣入门者的不二选择, 家用的价格工业机的效能 ◀


The Best Choice For Embroidery Beginners, Perfect Performance As Industry Models

DT 精品系列电脑绣花机

DT Elite Series Embroidery Machine



DT-1501



DT-1502



DT-1504



帽子
Cap



成衣
Clothing



长裙
Cheongsam



鞋子
Shoes



裤子
Pants



袜子
Socks



箱包
Bags




毛巾
Towel

无限可能
And More

NANOART
软艺

绣品展示

EMBROIDERY GALLERY






系列特色 FEATURES



升级款A15Pro操作头
A15Pro Touch Screen




增强型帽框
Reinforced Cap Hoop



防绕线引线管
Anti-wind Thread Guiding



防夹手感应器
Anti-pinch Sensor



带大储物空间可调节台板
Adjustable Table with Large Storage Room



针上照明LED灯
Needle Light Assistant



全新夹线器
Latest Smooth Tension Base



加强型机架结构
Heavy Duty Machine Structure



全尺寸大储物下机架
Strong/Full Size Storage Stand



DT-1501

500×400mm



► 为专业领域和家用专门定制稳定，精准，人性化 ◀

Designed For Both Professional And Home Use. Stable, Intelligent And High Accuracy

NANOART
软艺

机器参数 PARAMETERS

DT-1501		
头数	Head	单头 1 head
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	500*400mm (19.7*15.7")
最大速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电控	Computer	A15pro 高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 A15pro High-Definition True-Color 10" LCD Touch Screen Photo Embroidery,Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
机器尺寸	Machine size	长(L) 910 * 宽(W)1220 * 高(H)1550mm (33.5*48.5*61")
净重/毛重	Net / Gross weight	185KGS / 240KGS (410 lbs / 530 lbs)
包装	Packing	木箱 Wooden case (1130*900*900mm) (44.5"*35.4"*35.4")

机型特色 FEATURES



特制帽框+270度广角刺绣范围
带来无与伦比的3D刺绣效果
Exclusive Cap Hoop,With A 270°
Wide Working Angle, Presenting
Excellent 3d Embroidery.



针下照明灯
便于穿线
Needle Light,
More Clear To Thread.



高度可调台板
兼具巨大的储物空间
Easy Adjustable
Table With Huge Storage Space



增强型的机架
机器震动小，线迹精准
Enhanced Hevy Duty
Machine Body
Low Vibration



稳固的下机架
自带储物空间
Heavy Stand With
Large Storage Space.



防夹手感应器
Anti-pinch Sensor



把手设计
便于移动
Handle Design,
Easy To Lift The Machine.



升级款A15Pro操作头
A15Pro Touch Screen

DT-1502

500×400mm



机器参数 PARAMETERS

DT-1502		
头数	Head	2 头 2 heads
头距	Working interval	500mm
针数	Needle	12 / 15 针 12 or 15 needles
刺绣范围	Working area	500*400mm (19.7*15.7")
最大速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电控	Computer	A15pro 高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 A15pro High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
接口	Port	USB,WIFI,LAN
电压	Voltage	AC110V-230V 50/60 HZ
机器尺寸	Machine size	长(L)1360 * 宽(W)1200 * 高(H)1550mm (53.5"*47.2"*61")
净重 / 毛重	Net / Gross weight	285KGS/365KGS (628 lbs /804lbs)
包装	Packing	木箱 Wooden case (1400*1130*900mm) (56"*45"*35.4")



机型特色 FEATURES



特制帽框+270度广角刺绣范围
带来无与伦比的3D刺绣效果
Exclusive Cap Hoop, With A 270°
Wide Working Angle, Presenting
Excellent 3d Embroidery.



针下照明灯
便于穿线
Needle Light,
More Clear To Thread.



增强型的机架
机器震动小, 线迹精准
Enhanced Heavy Duty
Machine Body Low Vibration



高度可调台板
兼具巨大的储物空间
Easy Adjustable
Table With Huge Storage Space



稳固的下机架
自带储物空间
Heavy Stand With
Large Storage Space.



防夹手感应器
Anti-pinch Sensor



把手设计
便于移动
Handle Design,
Easy To Lift The Machine.



升级款A15Pro操作头
A15Pro Touch Screen



双倍高效
2 Times
High Efficiency



帽子
Cap



成衣
Clothing



长裙
Cheongsam



鞋子
Shoes



裤子
Pants



袜子
Socks



箱包
Bags



毛巾
Towel

无限可能
And More

DT-1504

400×500mm



机器参数 PARAMETERS

NANOART
软艺

DT-1504

头数	Head	4头 4 heads
头距	Working interval	400mm
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	400*500mm (15.7*19.7")
最大速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电控	Computer	A15pro 高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 A15pro High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
接口	Port	USB,WIFI,LAN
电源	Power	AC110V-230V 50/60 HZ
机器尺寸	Machine size	长(L) 2060 * 宽(W)1560 * 高(H)1510mm (81"*61.4"*59.4")
净重/ 毛重	Net / Gross weight	535KGS/660KGS (1179lbs /1455lbs)
包装	Packing	木箱 Wooden case (2200*1130*910mm) (86.7"*44.5"*35.8")



机型特色 FEATURES



升级款A15Pro操作头
A15Pro Touch Screen



闭环电机系统
更精准的刺绣效果
The Close Loop System
Is An Important Key To Achieving
Precise Embroidery Stitches.



激光定位灯
定位更便捷
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.



特制帽框+270度广角刺绣范围
带来无与伦比的3D刺绣效果
Exclusive Cap Hoop, With A 270°
Wide Working Angle, Presenting
Excellent 3d Embroidery.



小型生产的最佳选择
Best Choice For
Small-scale Production



机头LED灯易于操作
LED Light,
More Clear To Thread.



防夹手感应器
Anti-pinch Sensor



帽子
Cap



成衣
Clothing



长裙
Cheongsam



鞋子
Shoes



裤子
Pants



袜子
Socks



箱包
Bags



毛巾
Towel

无限可能
And More

TCL系列电脑绣花机

TCL Series Embroidery Machine



TCL-1201



TCLM-1201




TCLX-1201



TCLW-1201



TCL-1202



TCL-1203



TCL-1204



帽子
Cap



成衣
Clothing



长裙
Cheongsam



鞋子
Shoes



裤子
Pants



袜子
Socks



箱包
Bags




毛巾
Towel

无限可能
And More

NANOART
软艺

绣品展示

EMBROIDERY GALLERY






系列特色 FEATURES



10.1英寸真彩触控屏
10.1 Inch Full Color Touch Screen



增强型机架结构，机器运行更稳定，绣品质量更高
Reinforced Machine Body Structure
Makes Machine Run Smooth With High Stitch Quality




闭环电机系统，每一个针迹位置都恰到好处
Close Loop Motors
Makes Every Stitch Precise And Accurate



面线夹持功能
Upper Thread Hold System



超强下机架
Strong Machine Stand



多功能多场景使用
Multi-function For Various Embroidery Applications



TCL-1201

500×400mm



NANOART
软艺

机器参数 PARAMETERS

TCL -1201		
头数	Head	单头 1 head
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	500*400mm (19.7*15.7")
最大速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery,Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
机器尺寸	Machine size	长(L)910 * 宽(W) 1220 * 高(H) 1550mm (33.5*48.5*61")
净重/毛重	Net / Gross weight	185KGS / 240KGS (410 lbs / 530 lbs)
包装	Packing	木箱 Wooden case (1130*900*900mm) (44.5"*35.4"*35.4")

机型特色 FEATURES

- | | | | |
|--|---|--|--|
|  <p>270度广角刺绣范围
带来无与伦比的3D刺绣效果
Exclusive Cap Hoop,With A 270°
Wide Working Angle, Presenting
Excellent 3d Embroidery.</p> |  <p>机头LED灯
易于操作
LED Light,
More Clear To Thread.</p> |  <p>多种功能, 支持帽绣
成衣, 箱包, 袜绣, 平绣等
Multi Functions,
Work On Caps, T-Shirts, Bags,
Flat Fabric, Socks Etc.</p> |  <p>闭环电机系统
更精准的刺绣效果
The Close Loop System
Is An Important Key To Achieving
Precise Embroidery Stitches.</p> |
|  <p>高灵敏度断线检测
Sensitive Thread Break Detection</p> |  <p>激光定位灯
Laser Pointer.</p> |  <p>工业重型机架
高速刺绣稳定
Industrial Heavy Duty Machine Body
Make Less Vibration And Noise</p> |  <p>真彩10.1英寸触控屏
操作简单易上手
10.1inch Touch Screen,
User-Friendly
Interface For Easy Operation.</p> |

► 为专业领域和家用专门定制, 稳定, 精准, 人性化 ◀

Designed For Both Professional And Home Use. Stable, Intelligent And High Accuracy

TCLM-1201

800×500mm



► 具备大面积刺绣范围兼具超高的性价比 ◀
Large Embroidery Area With Light Yet Enhanced Machine Body
Brings Very High Economic Efficiency

NANOART
软艺

机器参数 PARAMETERS

TCLM-1201		
头数	Head	单头 1 head
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	800*500mm (31.5"*19.7")
最大速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
接口	Port	USB,WIFI,LAN
净重 / 毛重	Net / Gross weight	235KGS/285KGS (517 lbs/627 lbs)
机器尺寸	Machine size	长(L) 1050 * 宽(W) 1520 * 高(H) 1510mm (41.3"*59.8"*59")
包装	Packing	木箱 Wooden case (1400*1130*900mm) (55.1"× 44.5" × 35.4")

机型特色 FEATURES

- | | | | |
|---|--|---|--|
|  <p>真彩10.1英寸触控屏
操作简单易上手
10.1inch Touch Screen,
User-Friendly
Interface For Easy Operation.</p> |  <p>闭环电机系统
更精准的刺绣效果
The Close Loop System
Is An Important Key To Achieving
Precise Embroidery Stitches.</p> |  <p>急停开关
可应对各类突发情况
Emergency Stop To Cope With
All Kinds Of Sudden Situations.</p> | |
|  <p>超大尺寸刺绣范围
让面料更具价值
Super Large Embroidery Area
Make More Valuable Big Design</p> |  <p>激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.</p> |  <p>机头LED灯易于操作
LED Light,
More Clear To Thread.</p> |  <p>加强型机架结构
保障大行程刺绣稳定
Enhanced Machine
Body Support Big Size Embroidery</p> |

TCLX-1201

1200×550mm



► 本机拥有超大的刺绣范围助力超大幅面刺绣应用 ◀
This Outstanding Workspace Facilitates
The Smooth Fine Embroidery Of Oversized Items.

NANOART
软艺

机器参数 PARAMETERS

TCLX-1201

头数	Head	单头 1 head
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	1200*550mm (47.2*21.7")
最大速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
接口	Port	USB,WIFI,LAN
净重 / 毛重	Net / Gross weight	340KGS/420KGS (749 lbs/926 lbs)
机器尺寸	Machine size	长(L) 2140 * 宽(W) 1610 * 高(H) 1510mm (84.3"*63.4"*59.5")
包装	Packing	木箱 Wooden case (1980*1130*910mm) (78"*44.5"*39")

机型特色 FEATURES



真彩10.1英寸触控屏
操作简单易上手
10.1inch Touch Screen,
User-Friendly
Interface For Easy Operation.



闭环电机系统
更精准的刺绣效果
The Close Loop System
Is An Important Key To Achieving
Precise Embroidery Stitches.



急停开关
可应对各类突发情况
Emergency Stop To Cope With
All Kinds Of Sudden Situations.



超大尺寸刺绣范围
让面料更具价值
Super Large Embroidery Area
Make More Valuable Big Design



激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.



机头LED灯易于操作
LED Light,
More Clear To Thread.



加强型机架结构
保障大行程刺绣稳定
Enhanced Machine
Body Support Big Size Embroidery

TCLW-1201

1600×800mm



► 超凡的刺绣范围全方位提升您的艺术创造可能 ◀

This Incredible Workspace Facilitates Enlarge Your Art Creation To Many Levels.

NANOART
软艺

机器参数 PARAMETERS

TCLW-1201

头数	Head	单头 1 head
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	1600*800mm (62.9*31.5")
最大速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
接口	Port	USB,WIFI,LAN
净重 / 毛重	Net / Gross weight	600KGS/728KGS (1322lbs/1604 lbs)
机器尺寸	Machine size	长(L) 3330 * 宽(W) 2100 * 高(H) 1550mm (131.1"*82.7"*61.0")
包装	Packing	木箱 Wooden case (2200*1300*920mm) (86.61"*51.18"*36.22")

机型特色 FEATURES



机械手操作头支架
随触可及
Robot Screen Arm
Human-oriented Easy Operation



闭环电机系统
更精准的刺绣效果
The Close Loop System
Is An Important Key To Achieving
Precise Embroidery Stitches.



支持各类特殊装置加装
All Type Of Special
Embroidery Devices Possible



超大刺绣范围
支持各类刺绣类型
Super Large Embroidery Area
Make More Valuable Big Design



激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.



机头LED灯易于操作
LED Light,
More Clear To Thread.



超强机架设计
支持超大范围刺绣
Super Heavy Machine
Body Support
Big Size Embroidery

TCL-1202

500×400mm



帽子
Cap



成衣
Clothing



长裙
Cheongsam



鞋子
Shoes



裤子
Pants



袜子
Socks



箱包
Bags



毛巾
Towel

无限可能
And More



机器参数 PARAMETERS

NANOART
软艺

TCL-1202

头数	Head	2头 2 heads
头距	Working interval	500mm
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	500*400mm (19.7*15.7")
最大速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
接口	Port	USB,WIFI,LAN
电压	Voltage	AC110V-230V 50/60 HZ
机器尺寸	Machine size	长(L) 1360 * 宽(W) 1200 * 高(H) 1550mm (53.5"*47.2"*61")
净重/ 毛重	Net / Gross weight	285KGS/365KGS (628 lbs /804lbs)
包装	Packing	木箱 Wooden case (1400*1130*900mm) (56"*45"*35.4 ")



机型特色 FEATURES



真彩10.1英寸触控屏
操作简单易上手
10.1inch Touch Screen,
User-Friendly
Interface For Easy Operation.



闭环电机系统
更精准的刺绣效果
The Close Loop System
Is An Important Key To Achieving
Precise Embroidery Stitches.



急停开关
可应对各类突发情况
Emergency Stop To Cope With
All Kinds Of Sudden Situations.



两倍效率
2 Times Efficiency



270度广角帽绣刺绣
带来无与伦比的3D帽绣效果
Exclusive Cap Hoop, with A 270°
Wide Working Angle, Presenting
Excellent 3d Embroidery.



激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.




机头LED灯
易于操作
LED Light,
More Clear To Thread.



顺滑的过线系统
高灵敏断线检测
Smooth And Adjustable
Thread-passing System.

TCL-1203

400×500mm



帽子
Cap



成衣
Clothing



长裙
Cheongsam



鞋子
Shoes



裤子
Pants



袜子
Socks



箱包
Bags



毛巾
Towel

无限可能
And More



机器参数 PARAMETERS

NANOART
软艺

TCL-1203

头数	Head	3头 3 head
头距	Working interval	400mm
针数	Needle	12 / 15 针 12 or 15 needles
刺绣范围	Working area	400*500mm (15.7*19.7")
最大速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
接口	Port	USB,WIFI,LAN
电压	Voltage	AC110V-230V 50/60 HZ
机器尺寸	Machine size	长(L) 1660 * 宽(W) 1560 * 高(H) 1510 mm (65.3"*61.4"*59.4")
净重/ 毛重	Net / Gross weight	445KGS/570KGS (981bs /1256 lbs)
包装	Packing	木箱 Wooden case (2200*1130*910mm) (86.6"*44.5"*35.8")



机型特色 FEATURES



真彩10.1英寸触控屏
操作简单易上手
10.1inch Touch Screen,
User-Friendly
Interface For Easy Operation.



闭环电机系统
更精准的刺绣效果
The Close Loop System
Is An Important Key To Achieving
Precise Embroidery Stitches.



急停开关
可应对各类突发情况
Emergency Stop To Cope With
All Kinds Of Sudden Situations.



小型生产的极佳选择
Best Choice For
Small-scale Production



270度广角帽绣刺绣
带来无与伦比的3D帽绣效果
Exclusive Cap Hoop, with A 270°
Wide Working Angle, Presenting
Excellent 3d Embroidery.



激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.



机头LED灯易于操作
LED Light,
More Clear To Thread.



顺滑的过线系统
高灵敏断线检测
Smooth And Adjustable
Thread-passing System.

TCL-1204

400×500mm



无限可能
And More



机器参数 PARAMETERS

NANOART
软艺

TCL-1204

头数	Head	4 头 4 heads
头距	Working interval	400mm
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	400*500mm (15.7*19.7")
最大速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
接口	Port	USB,WIFI,LAN
电压	Power	AC110V-230V 50/60 HZ
机器尺寸	Machine size	长(L) 2060 * 宽(W) 1560 * 高(H) 1510mm (81"*61.4"*59.4")
净重/ 毛重	Net / Gross weight	535KGS/660KGS (1179lbs /1455lbs)
包装	Packing	木箱Wooden case (2200*1130*910mm) (86.7"*44.5"*35.8")



机型特色 FEATURES



真彩10.1英寸触控屏
操作简单易上手
10.1inch Touch Screen,
User-Friendly
Interface For Easy Operation.



闭环电机系统
更精准的刺绣效果
The Close Loop System
Is An Important Key To Achieving
Precise Embroidery Stitches.



下沉式台板
巨大的储物空间
Large Space For
Storage Embroidery Materials



小型生产的极佳选择
Best Choice For
Small-scale Production



270度广角帽绣刺绣
带来无与伦比的3D帽绣效果
Exclusive Cap Hoop, with A 270°
Wide Working Angle, Presenting
Excellent 3d Embroidery.



激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.



机头LED灯
易于操作
LED Light,
More Clear To Thread.



顺滑的过线系统
高灵敏断线检测
Smooth And Adjustable
Thread-passing System.

HT 系列电脑绣花机

HT Series Embroidery Machine



HT-1201



HTX-1201



帽子
Cap



成衣
Clothing



长裙
Cheongsam



鞋子
Shoes



裤子
Pants



袜子
Socks



箱包
Bags




毛巾
Towel

无限可能
And More

NANOART
软艺

绣品展示

EMBROIDERY GALLERY







系列特色 FEATURES



真彩10.1英寸触控屏
10.1 Inch Full Color Touch Screen



超大刺绣范围
Extra Large Embroidery Area



可加装各类装置让绣品更具价值
Possible To Add All Kinds Of Devices
Make Your Design More Valuable



上下位螺栓紧固
Heavy Strong Joint Structure



绣框采用高精度大电机
Precise Big Motors Make Accurate Frame Move



H机头结构支持更大绣作范围
H Type Head Structure



机头定位灯
Laser Positioning Light



机器参数 PARAMETERS

HT-1201

头数	Head	单头 1 head
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	800*500mm (31.5*19.7")
最大速度	Max speed	平绣Flat:1000RPM, 帽绣Cap:1000RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
接口	Port	USB,WIFI,LAN
净重 / 毛重	Net / Gross weight	170kgs/240kgs (374lbs /528lbs)
机器尺寸	Machine size	长(L)1770 * 宽(W)1470 * 高(H)1400mm (69.7"*57.9"*55.1")
包装	Packing	木箱 Wooden case (1300*1130*800mm) (52"*45"*31.5")

机型特色 FEATURES



真彩10.1英寸触控屏
操作简单易上手
10.1inch Touch Screen,
User-Friendly
Interface For Easy Operation.



多种功能, 支持帽绣
成衣, 箱包, 袜绣, 平绣等
Multi Functions,
Work On Caps, T-Shirts, Bags,
Flat Fabric, Socks, Etc.



超大刺绣和经济的成本融合
Economic Price With
Big Embroidery Area



重型下机架
机器运行更稳定
Heavy Machine Stand
Support High Speed Running



激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.



可选配
各类高附加值装置
Heavy Beads Device
Optional



顺滑可调的夹线器
Smooth And Adjustable
Thread-Passing System.

HT-1201

800×500mm
1200×500mm
同步在售 Available



高回报率来自于超大刺绣和经济的成本融合

A Perfect Combination Of A Large Embroidery Area And Low Cost - Effectiveness.

HTX-1201

1400×700mm



► 高回报率来自于超大刺绣和经济的成本融合 ◀
A Perfect Combination Of A Large Embroidery Area
And High Cost - Effectiveness.

NANOART
软艺

机器参数 PARAMETERS

HTX-1201

头数	Head	单头 1 head
针数	Needle	12 /15 针 12 or 15 needles
刺绣范围	Working area	1400*700mm (55.1*27.5")
最大速度	Max speed	平绣Flat:1200RPM
电控	Computer	高分辨率真彩10.1英寸触控屏，支持照片绣，字母绣，涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
接口	Port	USB,WIFI,LAN
净重 / 毛重	Net / Gross weight	335kgs/475kgs (738 lbs / 1047 lbs)
机器尺寸	Machine size	长(L) 2220 * 宽(W) 1950 * 高(H) 1540mm (87.4"*76.7"*60.6")
包装	Packing	木箱 Wooden case (2240*1240*770mm) (88.2"*48.8"*30.3")

机型特色 FEATURES



真彩10.1英寸触控屏
操作简单易上手
10.1inch Touch Screen,
User-friendly
Interface For Easy Operation.



多种功能，支持帽绣
成衣，箱包，袜绣，平绣等
Multi Functions,
Work On Caps, T-shirts, Bags,
Flat Fabric, Socks, Etc.



可选配
各类高附加值装置
Possible To Add More Devices
To Make Design More Valuable



超大绣作范围
Ultra Large
Embroidery Area



上下位螺栓紧固
高速运行更稳定
Bolt Fixing Machine Stand
Support Higher Speed For
Big Size Embroidery



激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.



机头LED灯
易于操作
LED Light,
More Clear To Thread.



顺滑可调的夹线器
Smooth And Adjustable
Thread-passing System.

特种绣电脑绣花机 Special Function Embroidery Machine



STP-11201 混合盘带（绳子）+平绣绣花机
Mixed Taping/cording+flat Machine



STM-61201 混合毛巾（链式）+平绣绣花机
Mixed Chenille/Chain+flat Machine



玛雅特种绣电脑绣花机专为高端定制市场量身打造。绳绣、带绣、链式绣、毛巾绣和平绣组合，加上金片珠子等闪亮的时尚元素，为设计者提供多样且独特的多层次刺绣产品，重新定义了高端刺绣的意义。

Topmaya Special Function Embroidery Machine: Tailored For The Personalized Luxury Market. It Lets Creators Add Unique 3d Elements Using Cording, Tapping, Chenille, Chain Stitches, And Shiny Materials Like Sequins, Beads, Etc. Redefining Luxury Embroidery Standards.

绣品展示 EMBROIDERY GALLERY



STP-11201 Mixed Cording Machine 混合盘带+平绣绣花机

1200×600mm



帽子
Cap



成衣
Clothing



长裙
Cheongsam



鞋子
Shoe



裤子
Pants



袜子
Socks



箱包
Luggage



毛巾
Towel

无限可能
And More

机器参数 PARAMETERS

STP-11201

型号	Model	STP-11201
刺绣范围	Working area	1200*600mm (47.2*23.6")
机头	Head	1 平绣 + 1 盘带头 (支持绳子+带子) 1 Flat Head + 1 Cording/Taping head
针数	Needle	平绣:12 针, 绳子/带子: 单针 Flat:12 Needles, Cording/Taping: 1 needle
最大速度	Max speed	平绣Flat:1200RPM 绳子/带子Cording/Taping: 850RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
机器尺寸	Machine size	长(L)2480 * 宽(W)1610 * 高(H)1510mm (97.6"*63.4"*59.4")
净重/ 毛重	Net / Gross weight	370KGS/500KGS (816lbs /1102lbs)
包装	Packing	木箱 Wooden case (1980*1130*910mm) (78"*45"*36")

机型特色 FEATURES



真彩10.1英寸触控屏
操作简单易上手
10.1inch Touch Screen,
User-Friendly
Interface For Easy Operation.



闭环电机系统
更精准的刺绣效果
The Close Loop System
Is An Important Key To Achieving
Precise Embroidery Stitches.



超大绣作范围
让更多可能发生
Large Embroidery Area
Makes More Possible



盘带绳子和平绣组合
让绣品更具价值
Flat Mixed With Tape Stitch
Make Your Design More Valuable



激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.



机头LED灯
易于操作
LED Light,
More Clear To Thread.



顺滑的过线系统
高灵敏断线检测
Smooth And Adjustable
Thread-Passing System.

STM-61201 Mixed Chenille Machine 混合毛巾+平绣绣花机

1200×550mm



帽子
Cap



裤子
Pants



成衣
Clothing



袜子
Socks



长裙
Cheongsam



箱包
Luggage



鞋子
Shoe



毛巾
Towel

无限可能
And More



机器参数 PARAMETERS

STM-61201

型号	Model	STM-61201
组距	Group interval	350mm (13.78")
刺绣范围	Working area	1200*550mm (47.2*21.7")
机头	Head	1 平绣头+ 1 毛巾头 1 Flat head + 1 Chenille head
针数	Needle	平绣:12 针, 毛巾: 6 针 Flat:12 needles, Chenille: 6 needles
最大速度	Max speed	平绣Flat:1200RPM 毛巾Chenille: 850RPM
电控	Computer	高分辨率真彩10.1英寸触控屏, 支持照片绣, 字母绣, 涂鸦绣等功能 High-Definition True-Color 10" LCD Touch Screen Photo Embroidery, Lettering Embroidery and Doodle Art Embroidery
内存	Memory	1亿针或800个花样 100 million stitches or 800 designs
机器尺寸	Machine size	长(L)2480 * 宽(W)1560 * 高(H)1550mm (97.6"*61.4"*61")
净重/ 毛重	Net / Gross weight	380KGS/500KGS (837 lbs /1102lbs)
包装	Packing	木箱Wooden case (1980*1130*910mm) (78"*45"*36")



机型特色 FEATURES



真彩10.1英寸触控屏
操作简单易上手
10.1inch Touch Screen,
User-Friendly
Interface For Easy Operation.



闭环电机系统
更精准的刺绣效果
The Close Loop System
Is An Important Key To Achieving
Precise Embroidery Stitches



超大绣作范围
让更多可能发生
Large Embroidery Area
Makes More Possible



毛巾链式和平绣组合
让绣品更具价值
Flat Mixed With
Chenille And Chain Stitch
Make Your Design More Valuable



激光定位灯
Laser Pointer Makes Pattern
Positioning More Convenient
And Accurate.



机头LED灯
易于操作
LED Light,
More Clear To Thread.



防线绒夹线器
高灵敏断线检测
Smooth And Adjustable
Thread-Passing System
With Anti -Lint Function

TH 系列工业帽绣绣花机

TH Series Industrial Tubular Embroidery Machine



TH-1206 400×500mm



TH-1208 400×500mm



多头电脑绣花机助您的产量翻倍，让您的事业更具动力

Multi-head Embroidery Machine Boost Your Productivity And Soar Your Business To New Heights

NANOART
软艺

绣品展示

EMBROIDERY GALLERY





系列特色 FEATURES



15英寸工业级显示屏
15inch Touch Screen,
With Industrial Control System



加油系统
Lubrication System



悬浮框架系统
Floating Driving System




急停及多位置启停按钮方便操作
Emergency Stop
And Convenient Start/stop Button



超大的物料存储空间
Large Space For
Embroidery Material Storage



全伺服驱动电机
All Servo Driving Motors



带数显换色系统
Precise Color Change System



高强度机架结构
Heavy Strong Machine Body



NANOART 机器参数 PARAMETERS

TH-1206 & TH-1208

头数	Head	6 头heads 8 头heads
头距	Head interval	400mm
针数	Needles	12/15针 12or15needles
刺绣范围	Embroidery Area	400*500mm (15.7*19.7")
操作头类型	Pannel	15英寸真彩触控屏 High-Definition True-Color 15" LCD Touch Screen
帽绣可刺绣角度	Cap Embroidery area	270°
最高速度	Max speed	平绣Flat:1200RPM, 帽绣Cap:1000RPM
电压	Voltage	AC110V-240V 50/60 HZ
内存	Memory Capacity	10亿针 1 Billion stitches
机器尺寸 长*宽*高(含台板) Machine size L*W*H(with table)		TH-1206: 3570*1510*1250mm (141"*60"*49.3") TH-1208: 4370*1510*1250mm (172"*60"*49.3")
净重	Net weight	TH-1206: 1100KGS (2425lbs) TH-1208: 1330KGS (2932lbs)

机型特色 FEATURES



15英寸真彩触控屏
15inch Touch Screen,
User-Friendly
Interface For Easy Operation.



全伺服驱动电机
刺绣精度更高
All Servo Driving Motor Makes Stitch
More Accurate



急停及多位置启停按钮
方便操作
Emergency Stop
And Convenient Start/Stop Button



为帽绣而生
高效率+极高的帽绣刺绣效果
Born For Cap: With A 270°
Wide Working Angle, Presenting
Excellent 3d Embroidery.



悬浮框架系统
Floating Driving System



LED照明
操作更方便
LED Light,
More Clear To Thread.



半自动加油
让绣机始终保持完美状态
Auto Lubrication System
Make Sure Machine In
Perfect Condition

TH-1206 | 400×500mm



TH-1208 | 400×500mm



帽子
Cap



成衣
Clothing



长裙
Cheongsam



鞋子
Shoes



裤子
Pants



袜子
Socks



箱包
Bags



毛巾
Towel

无限可能
And More

附件 ACCESSORIES

成衣绣框 T-SHIRT HOOPS



90mm[3.5"] ×2/头head



120mm[4.7"] ×2/头head



150mm[5.9"] ×2/头head



200mm[7.8"] ×2/头head



290mm×290mm
[11.4"×11.4"] ×2/头head



560mm×360mm
[14.2"×22.8"] ×1/头head

帽绣附件 CAP ATTACHMENT



帽托
Cap Hoop Station
1/台set



帽驱动
Cap Driver
×1/头head



帽框
Cap Hoops
×2/头head

平绣附件 FLAT EMBROIDERY



台板
Table
1/台set



铝绣框
Aluminum Frame
×1/台

其他 OTHERS



工具箱
Tools Kit
×1/台set



机针
Needles



绕线机
Winding Machine
AC110v-230v
×1套set

选配附件 OPTIONAL ACCESSORIES

选配可购买附件 PAID ACCESSORIES



鞋夹/箱包夹
Shoes-Bag Clip




袜绣框
Sock Frame



带夹
Belt Device




弧形口袋夹
Pocket Frame



多功能磁力夹
Multi Functional Frame



强磁夹(多种尺寸可选)
Magnet Frame
(Different Sizes Available)



绣框安装底座
Magnet Base



磁力夹底座
Frame Support Bracket

该样册所列附件可能因机型和批次原因，与图片有所差异，以实际收到的产品为准。
Accessories listed in this catalog may differ by machine models customer receive;
actual product received prevails.